

Technical Data Sheet of G-Block DZ 370 CCT

Product Description

Fine and stable dispersion of UV grade Zinc Oxide in cosmetic oils at high % of active. It can be incorporated easily with the conventional equipments into any personal care products to provide the broad-spectrum sun protection benefit. Sunscreens made of G-Block DZ 370 CCT exhibits excellent transparency and soft sensory as if there were no ZnO particles inside.

Legislation

- INCI Zinc oxide (and) Caprylic/Capric Triglyceride (and) Polyhydroxystearic Acid (and) Polyglyceryl-3 Polyricinoleate (and) Isostearic Acid (and) Lecithin
- CAS # 1314-13-2/73398615/27924-99-8/(29894-35-7, 235783763)/30399-84-9/8002-43-5
- EINECS 215-222-5/2774522/exempt/exempt/250-178-0/232-307-2

General Product Specification

<u>Item</u>	<u>Specification</u>
Appearance	Off-white soft cream
Odor	Mild
Viscosity, 50 rpm	8,000 – 120,000 cP
Specific Gravity	2.14 – 2.45
% ZnO	~ 70%

----- Create Possibilities -----

Last product specification update: 9/1/2012 Last document update: 4/21/2017

Safety data:

- Repeated Insult Patch Test (RIPT) with 50 human subjects shows no skin irritation and no skin sensitization.
- The zinc oxide powder before the dispersion process is USP grade and is especially designed for strong broad spectrum UV protection.
- Total heavy metal < 20 ppm, and Arsenic < 2 ppm
- Microbiology data: Total aerobic bacteria count and the total yeast/mold count < 100 cfu/g, free of Pathogens: E.Coli, P. Aeruginosa, and S. Aureus.

Features/Benefits

- Easy Manufacturing
 - Stable product, no separation and no sedimentation.
 - Easy to transfer and to mix with the common cosmetic equipments.
- Easy Formulation/product development
 - **COSMOS, ECOCERT and Natural Product Association (NPA) approved for natural sunscreens** which meet with global regulations.
 - Meet with global UVA criteria: FDA of USA: critical wavelength > 370 nm; PA +++ of Asia; UVAPF/SPF > 1/3 of EU
 - Speed to market: Provides the guide equations to calculate the appropriate % dosage for the target SPF and critical wavelength for quick formulation development.
 - Extremely high % active for flexible formulation development with good sensory.

Applications

Cosmetic and Toiletry:

- Natural sunscreens that meet with all global regulations for broad spectrum and “natural” standards.
- Sunscreens for baby and people with sensitive skin.
- Sport sunscreens with long lasting UV A and B protection.

----- **Create Possibilities** -----

Last product specification update: 9/1/2012 Last document update: 4/21/2017

- Daily skin care lotion and cream with UV A and B protection.
- Natural Color cosmetics with sunscreen benefit.
- Sun protection products of high SPF with a synergistic combination of organic UV filters and ZnO

How to use it?

- Just add into the oil phase of the formulation and mix well.
- Dosage: About 1.5 SPF per 1% ZnO active. Critical wavelength 371 - 373 nm. For example, a SPF 30 sunscreen formulation would need: $30/1.5 = 20\%$ ZnO active, or about 28.6% G-Block DZ 370 CCT (28.6% x 70% = 20% ZnO active).
- For predicting the SPF and critical wavelength of sunscreen prototypes made of the blends of several G-Block products, please contact us for the "**G-Block Prediction Calculator**" program to do it easily.
- **Sunscreen Test Protocols:**
 - SPF: In-Vivo Protocols of FDA of USA and EN ISO 24444:2010.
 - UVA: In-Vivo protocol of EN ISO 24442:2011; In-Vitro Protocol of FDA of USA(critical wave) ; EN ISO 2443:2012 (UVAPF) .
 - Please note that in-vitro SPF measurement is not suitable for sunscreens of inorganic UV filters

Packaging

25 kg in 3.5 gallon plastic pail

Storage

- Store the product in its original package and avoid storing at extreme high and low temperature

Due to variations in methods, conditions, and equipment used commercially in processing these materials, no warranties or guarantees are made as to the suitability of information or products for the application disclosed. Nothing contained herein is to be considered as permission, recommendation, nor as inducement to practice any patented invention without the permission of the patent owner. Applechem shall not be liable and the User assumes all risk and responsibility for any use or handling of any material beyond Applechem's direct control.

----- **Create Possibilities** -----

Last product specification update: 9/1/2012 Last document update: 4/21/2017