

# Ggel CCT 200

# (Material) Safety Data Sheets

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product Identifier		
Chemical Type	Mixture	
Trade Name	Ggel CCT 200	
1.2. Relevant Identified U	ses of the Substance	or Mixture and Uses Advised Against
1.2.1 Relevant Identifie	d Uses	
Major use category		Personal care products, cosmetic and toiletry industry
Use of the Substance/Mixtu	re	Rheology control, suspend particles, enhance sensory in the oil phase
1.2.2. Uses Advised Aga	inst	
No additional Information av	ailable.	
1.3. Details of the Supplier of the Material Safety Data Sheet		
For Product, safety, and pricing Information, please contact Applechem or your local distributors/agents		
Applechem ,Inc.		

2 Cranberry Road, Unit A4

Parsippany-Troy Hills, NJ 07054, USA

(O) 862-210- 8344 (F) 862-210-8336. <u>sales@applechem.</u>com v

website: www.applechem.com

#### 1.4. Emergency Telephone Number for Emergency Chemical Incident

#### The following phone # is ONLY for Chemical Emergency – Spill, Leak, Fire, Exposure, or Accident.

*phone # must be dialed within the country		
<u>Country</u>	Emergency phone #	<u>Language</u>
United States and Canada*	1-800-424-9300	English
Outside of US and Canada	+1-703-527-3887	English
Europe		
France	+33-975181407	French
Germany*	0800-181-7059	German
Italy*	800-789-767	Italian
Italy (Milan)	+39-0245557031	Italian
Poland (Warsaw)	+48-223988029	Polish
Spain*	900-868538	European Spanish
UK ( London)	+44-870-8200418	English
Asia		
S. Korea*	00-308-122549	Korean
Taiwan*	00801-14-8954	Mandarin
People's Republic of China*	4001-204937	Mandarin

#### SECTION 2: Hazards Identification

#### 2.1. Classification of the Substance or Mixture

#### 2.1.1 Classification According to GHS and Regulation (EC) number – 1272/2008 (CLP)

None. Some of the components of this product are hazardous in the respirable form, cancer hazard. However, because of the physical nature of this product, dust generation is not expected under normal use condition.

Slippery, can cause falls if walked on.

#### 2.1.3 Adverse Physicochemical, Human health and Environmental Effects

**Eye Contact**: May cause slight eye irritating. Avoid contact with eyes.

**Skin Contact**: Brief contact is essentially nonirritating to skin. Prolonged contact may cause slight skin irritation with local redness in susceptible persons.

Skin Absorption: Prolonged skin contact is unlikely to result in absorption of harmful amounts

**Inhalation:** Exposure to inhalation in dry form may cause. Avoid breathing dust from material. Under normal use condition, exposure to its dust is minimal due to its gel physical state.

**Ingestion:** Do not ingest. Avoid contact with food.

#### Environment: none

Target organs: Eyes. Respiratory system

2.2.1 Labeling According to GHS and R	Regulation (EC) Number 1272/2008 (CLP)
---------------------------------------	--

Physical Hazards	Not classified	
Health Hazards	Not Classified	
Environmental, OSHA defined Hazards	Not Classified	
Label Element		
Signal word		
Hazard statement	May cause skin and eye irritation	
Precautionary Statement		
Prevention	Obtain special instruction before use	
P201	Do not handle until all safety precautions have been read,	
P202	understood	
P280	Wear Protective gloves/clothing/eye/face protection	
Response	If exposed or concerned: Get medical advice/attention	
P308 + P313		

#### 2.3. Other Hazards

Slippery, can cause fall if walked on

#### SECTION 3: Composition and Information on Ingredients

#### 3.1. Substances

#### Not Applicable

#### **3.2.** Mixtures

INCI Name: Caprylic/Capric Triglyceride (and) Stearalkonium Bentonite (and) Propylene Carbonate

Ingredient name	CAS	%	CLP	Туре
	EC n			
Propylene carbonate	108-32-7	1-5	H319	I
Quartz	14808-60-7	< 0.7	STOT, RE2	I
	238-878-4			

There are no additional ingredients which, with the best knowledge of the supplier and in the concentration applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or haven been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to EU 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to EC 1907/2006, Annex XIII

[5] Substance of equivalent concern.

SECTION 4: First Aid Measures

4.1. Description of First Aid Measures

# **Ggel CCT 200** (Material) Safety **Data Sheet** General If potential for exposure exists refer to Section 8 for specific personal protective equipment Inhalation Move person to fresh air; Obtain medical service if ill effects occur. Remove contaminated clothing, and wash with water and soap. If irritation persists, consult medical skin contact service Irrigate with eyewash solution or clean water. Remove contact lenses after the initial 1-2 minutes and Eye contact continue flushing for several additional minutes. Hold the eyelids apart and flush for at least 10 minutes. Consult with eye doctor if irritation persists Wash out mouth with water and give 200 - 300 ml of water to drink. Consult with medical services if ill Ingestion effects occur.

#### 4.2. Most Important Symptoms and Effects, both Acute and Delayed

#### Symptoms/Injuries: No additional information available

#### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

No supplemental information available

SECTI	ON 5: Fire Fighting Measures
5.1.	Extinguishing Media

Water fog or fine spray; Dry chemical fire extinguishers; Carbon dioxide fire extinguishers; Foam – general purpose synthetic foams (including AFFF type) or protein foams are preferred if available.

5.2. Special Hazards Ari	2. Special Hazards Arising From the Substance or Mixture		
Fire Hazard	Direct fire hazard – Combustible. Indirect fire Hazard – heating increases the fire hazard. Temperature above flash point – higher fire/explosion hazard		
Explosion Hazard	No direct explosion hazard. Violent steam generation or eruption may occur upon application of direct water stream to hot liquid. Dense smoke may be produced when product burns.		
Reactivity:	On burning – release of carbon monoxide/carbon dioxide and other combustion products of varying composition which may be toxic and/or irritating.		
General Measures:	Mark the danger area. Exposure to heat – have neighborhood close doors and windows. Exposure to		

fire/heat - consider evacuation. Wash contaminated clothes

#### 5.3. Advice for Firefighters

**Fire fighting procedures**: Material is very slippery when spilled on. Keep people away. Isolate fire and deny unnecessary entry. Cool containers exposed to heat with water spray and remove container, if no risk is involved.

Do not use direct water stream, May spread fire. Burning liquids may be moved by flushing with water to protect personnel and minimize property damage.

**Special Protective equipments for fire fighter:** Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance

#### **SECTION 6:** Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

#### 6.1.1. For Non-Emergency Personnel

Spilled material may cause a slipping hazard. Refer to section 7 and 8 for handling and exposure control/personal protection

#### 6.1.2. For Emergency Responders

Spilled material is slipper. Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to Section 7 and 8 for handling and exposure control/personal protection

#### 6.3. Methods and Material for Containment and Cleaning Up

Avoid allowing water runoff to contact spilled material. Prevent further leakage or spillage if safe to do so. Do not flush into surface water. Do not let product enter drains.

Scrape up the spilled material. Scrub the area with detergent and water. For waste disposal, see section 13 of this document. Forms smooth, slippery surfaces on floors, posing an accident risk.

#### 6.4. Reference to Other Sections

Section 7 and 8

#### SECTION 7: Handling and Storage

#### 7.1. Precautions for Safe Handling

Prevent eye contact and ingestion. Wash thoroughly with soap/water after handling.

7.2. Conditions for Safe Storage, Including any Incompatibilities		
Prohibitions on mixed storageKeep the product away from: ignition sources , strong acids, strong bases, and stro oxidizing agents		
Storage area	In well-ventilated place, at room temperature. Meet the legal requirements.	
Special rules on packaging	Keep it closed, correctly labeled, and meet with the legal requirements	
Packaging materials	Plastics or steel with plastic inner lining.	

#### 7.3. Specific End Uses

No additional information is available

SECTION 8: Exposure Controls and Personal Protection				
8.1. Control Par	rameters			
Occupational exposure limits on component – Quartz CAS# 14808-60-7				
		Туре	Value	form
US. ACGIH Threshold limit Values		TWA	0.025 mg/M <sup>3</sup>	Respirable fraction
US. OSHA Table 2	US. OSHA Table Z-3 (29 CFR 1910.1000)		0.1 mg/m <sup>3</sup>	Respirable.
			0.3 mg/m <sup>3</sup>	Total dust
US. NIOSH		TWA	0.05 mg/m3	Respirable dust
Exposure guideline		ts gel physical form u	o dry out and form a dust. Becau Inder normal use conditions, the	-

#### 8.2. Exposure Controls

Personal protective equipment Use safety glasses (with side shields), Wear clean, body-covering clothes. Use gloves

Ggel CCT 200	
(Material) Safety	
Data Sheet	
	when prolonged or frequently repeated contact could occur. Select the gloves which have good chemical resistant to this product and other commonly used products in your production.
Respiratory Protection	Under intended handling conditions, no respiratory protection normally required. In case of insufficient ventilation, wear suitable respiratory equipment.
Ingestion	Use good personal hygiene. Do not consume or store food in the work area. Wash hands before smoking or eating.
Ventilation	Good ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines.

SECTION 9: Physical and Chemical Properties		
9.1. Information on Basic Physical and Chemical Properties		
Appearance (room temperature):	Gel	
Color:	gray	
Odor:	Mild characteristic odor	
pH:	No applicable.	
Melting point:	Not applicable	
Solidification point:	No test data available	
Boiling point:	No test data available	
Flash point:	Not applicable	
Vapor pressure:	No supplemental data available	
Relative vapor density at 20°C:	No supplemental data available	
Density:	No data available	
Solubility	Not soluble in water. Dispersible in oils	
Log Pow	No supplemental data available	
Self ignition temperature	No supplemental data available	

Ggel CCT 200 (Material) Safety Data Sheet

Decomposition temperature	No supplemental data available
Viscosity	No data available

9.2. Other Information	
Other Properties	Not dispersible in water. Dispersible in oil, and most organic solvents

SECTION 10: Stability and Reactivity

#### 10.1. Reactivity

No dangerous reaction known under conditions of normal use. On burning, release carbon monoxide/carbon dioxide, and other combustion productions which may be toxic or irritating.

#### **10.2.** Chemical Stability

Stable under normal use condition

#### **10.3.** Possibility of Hazardous Reactions

Polymerization will not occur

#### **10.4.** Conditions to Avoid

Exposure to elevated high temperature can cause product to decompose

#### **10.5.** Incompatible Materials

Avoid strong oxidizing agents, strong acid and base

#### 10.6. Hazardous Decomposition Products

No supplementary information available

# SECTION 11: Toxicological Information

# **11.1.** Information on Toxicological Effects

The following information is based on a consideration of the properties of the main components and similar products. This data is based on publically available information, the information provided by their manufactures, and similar products

Acute Toxicity	<u>Ggel CCT 200</u>	<u>Component – Propylene carbonate</u>
Oral	LD 50 Rat: ~ 800 ml/Kg, estimated	LD 50 Rat : > 5000 ml/Kg, 14.00 days
Dermal	LD 50 Rat. ~ 8000 mg/Kg, estimated	LD 50 rat : > 2000 mg/Kg, 14.00 days
Inhalation	Not likely, under normal use condition	
Skin corrosion/irritation	Not likely.	
Serious eye damage/irritation	May cause mild eye irritation	
Respiratory and skin sensitization	Not likely.	
Germ cell mutagenicity	No data available	
	<u>Ggel CCT 200</u>	Quartz, CAS 14808-60-7
Carcinogenicity	<u>Ggel CCT 200</u> Hazardous by OSHA Criteria. Cancer Hazard. Prolonged exposure may cause	Quartz, CAS 14808-60-7 A ACGIH carcinogens: A2 suspected human carcinogen IARC Monographs, Overall Evaluation of Carcinogenicity:
Carcinogenicity	Hazardous by OSHA Criteria. Cancer	A ACGIH carcinogens: A2 suspected human carcinogen
Carcinogenicity	Hazardous by OSHA Criteria. Cancer Hazard. Prolonged exposure may cause	A ACGIH carcinogens: A2 suspected human carcinogen IARC Monographs, Overall Evaluation of Carcinogenicity:
Carcinogenicity Reproductive toxicity	Hazardous by OSHA Criteria. Cancer Hazard. Prolonged exposure may cause	A ACGIH carcinogens: A2 suspected human carcinogen IARC Monographs, Overall Evaluation of Carcinogenicity: 1 Carcinogenic to humans
	Hazardous by OSHA Criteria. Cancer Hazard. Prolonged exposure may cause chronic effects.	A ACGIH carcinogens: A2 suspected human carcinogen IARC Monographs, Overall Evaluation of Carcinogenicity: 1 Carcinogenic to humans
Reproductive toxicity Specific target-organ –	Hazardous by OSHA Criteria. Cancer Hazard. Prolonged exposure may cause chronic effects. No data available No data available	A ACGIH carcinogens: A2 suspected human carcinogen IARC Monographs, Overall Evaluation of Carcinogenicity: 1 Carcinogenic to humans
Reproductive toxicity Specific target-organ – single exposure Specific target-organ –	Hazardous by OSHA Criteria. Cancer Hazard. Prolonged exposure may cause chronic effects. No data available No data available Quartz (CAS# 1808-60-7): Inhalation – ma	A ACGIH carcinogens: A2 suspected human carcinogen IARC Monographs, Overall Evaluation of Carcinogenicity: 1 Carcinogenic to humans US NTP Report on Carcinogens: Known carcinogen

### SECTION 12: Ecological Information

The ecological information of this product has not been determined. The information is based on the components and similar products, whose information is in public or supplied by the manufacturer 12.1. Toxicity.

Ecology – general: Not classified

#### 12.2. Persistence and Degradability

No data available

#### 12.3. Bioaccumulative Potential

No data available

<b>12.4.</b> Mobility in Soil
-------------------------------

No data available

#### 12.5. Results of PBT and vPvB assessment

No data available

12.6. Of	ther Adverse	Effects
----------	--------------	---------

No data available

SECTION 13: Disposal Considerations	
13.1. Waste Treatment Methods	
Disposal	Wear protective clothing to prevent skin and eye contamination, as well as dust masks to avoid dust inhalation. For small spills, remove and wipe up residue using absorbent material. For larger spills, gather together material using appropriate tools (shovel, scraper) and place in appropriate container for disposal. Please exercise caution as contaminated surfaces will be very slippery. Any dust formation must be cleaned using a vacuum cleaner equipped with HEPA-type filter.
Ecology – waste materials	Do not discharge into drains or the body of water. Dispose by a licensed waste treatment company.
Regional legislation (waste)	No supplemental information available
	11

SECTION 14: Transport Information	
DOT Non-Bulk	Not regulated
DOT Bulk	Not regulated
UN number	Not Classified
UN packaging group	Not Classified
UN Hazard class-primary	Not Classified
International Maritime Organization (IMDG)	Not Classified
Proper shipping name	
Marine Pollutant	
class-primary	
EMS number	
International Air Transportation Association Classification (IATA)	Not Classified
Proper shipping name	
Hazard class	
ID #	
Packing group	
Cargo packing instruction	
Passenger Packing Instruction	

SECTION 15: Regulatory Information 15.1. Safety, Health and Environmental Regulations/Legislation specific to Substance/Mixture

HMIS (USA)	Health: 1	Flammability: 1	Reactivity: o	Personal Protection: C
NFPA (USA)	Health: 1	Fire Hazard: 1	Instability: o	Special Hazard: None

#### OSHA Hazard Communication Standard, 29 CFR 910.1200 This product is a "hazardous chemical"

#### Resource Conservation and Recovery Act -RCRA (40 CFR 261)

To our best knowledge, this product doesn't contain the substances which are subject to the reporting requirements of this statue

#### Comprehensive Environmental Response, Compensation and Liability (CERCLA/Superfund)

To our best knowledge, this product doesn't contain the substances which are subject to the reporting requirements of this statue

#### Superfund Amendments and Reauthorization Act of 1986 Title III

#### Section 302 – Extremely Hazardous Substances

To our best knowledge, this product doesn't contain the substances which are subject to the reporting requirements of this statue

#### Section 304 – Hazardous Substances.

To our best knowledge, this product doesn't contain the substances which are subject to the reporting requirements of this statue

#### Section 311/312 – Hazardous Communication Standard

Immediate (acute) health hazard	No
Delayed (Chronic) health hazard	Yes
Fire hazard	No
Reactive hazard	No
Sudden Release of Pressure Hazard	No

#### Sections 313 - Toxic Chemical List

To our best knowledge, This product doesn't contain the substances which are subject to the reporting requirements of this statue.

# Pennsylvania (worker and community Right-to-Know Act): Pennsylvania Hazardous Substances List and/or Pennsylvania Environmental Hazardous Substance List:

Quartz (CAS # 14808-60-7)

Pennsylvania (worker and Community Right-to-Know Act): Pennsylvania Special Hazardous Substance List

Quartz (CAS # 14808-60-7)

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986).

Ggel CCT 200 (Material) Safety Data Sheet

Warning! : This product contains a chemical known to the state of California to cause cancer.

Quartz ( CAS # 14808-60-7)

#### New Jersey RTK- Substance: Listed substance

Quartz ( CAS # 14808-60-7)

#### Massachusetts RTK – Substance: Listed Substance

Quartz ( CAS # 14808-60-7)

Chemical Inventory Legend	Compliant
AICS – Australian Inventory of Chemical Substances	No
DSL – Canadian Domestic Substances List	Y
ECL – Korean Existing Chemical List	Y
IECS – Inventory of Existing Chemicals in China	Y
NZIOC – New Zealand Inventory of Chemicals	Y
PICCS – Philippine Inventory of Chemicals and Chemical Substances	Y
TSCA - USA Toxic Substances Control Act	Y
EC Inventories – European Community Inventories of Chemicals	Y
(EINECS/ELINCS/NLP/REACH)	

#### **15.2.** Chemical Safety Assessment

No supplemental data available

# SECTION 16: Other Information

SDS Reason for revision	Re-organize information of Section 3.2
SDS changed sections	All sections 3.2

Training advice	
Other information	

# Key or legend to abbreviations and acronyms Key Literature references and sources for data: Refer to the respective sections Component supplier's data

Classification/evaluation Procedure –EC No. 1272/2008 (CLP), article 9		
The physical state of this product is a "Gel" which encases/traps the quartz particles, which is not expected to become		
inhalable dust particles under normal use conditions.		
Full text of phrases/statements which are not written out in full under section 2 and 3.		
None		
Training Advice	No data available	
Further information	No data available	
Instruction for use	No data available	

#### **Disclaimer**

The information in this publication is based on the public information and the SDS/MSDS and information supplied by the component's suppliers. The information is believed to be accurate and is given in good faith but not representation or warranty as to its completeness or accuracy is made.

Suggestions for uses or applications are only opinions. Users are responsible for determining the suitability of these products for their own particular purpose.

No representation or warranty, express or implied, is made with respect to information or products including without limitation warranties of merchantability or fitness for a particular purpose or non-infringement of any third party patent or other intellectual property rights including without limit copyright, trademark and designs.